

## AMPHENOL (ALCATEL / CANNON)

Designed in Australia.  
Now known as Amphenol.  
6mm Cable Entry (3→6mm)  
8mm Cable Entry (6→8mm)  
IDC Solderless (5.5mm)



## AC3 ADAPTORS

These 3 adaptors require wiring internally. This allows you the flexibility to modify pin connections and / or insert impedance matching circuits, etc.



## METAL BARREL AC3

Female Plug  
6mm AC3F  
8mm AC3FJ  
IDC AC3FI



## FEMALE TO FEMALE

Code AC3F3FBW

U-Wire



## METAL BARREL AC3

Male Plug  
6mm AC3M  
8mm AC3MJ  
IDC AC3MI



## MALE TO MALE

Code AC3M3MBW

U-Wire



## METAL BARREL BLACK

Female All Black  
6mm AC3FB



## MALE TO FEMALE

Insert in-line filters, etc.  
Code AC3F3MBW

U-Wire



## METAL BARREL BLACK

Male All Black  
6mm AC3MB



## COLOUR BOOTS AC3

AC-NUT-BRN AC-NUT-BLU  
AC-NUT-RED AC-NUT-VIO  
AC-NUT-ORG AC-NUT-GRY  
AC-NUT-YEL AC-NUT-WHT  
AC-NUT-GRN



## METAL BARREL SOLID PINS

Machined Pins  
6mm AC3MM



## METAL BOOT AC3

Made tough for Heavy Duty & RF Applications  
Code AC-NUT-METAL




## PLASTIC BARREL

Tough Black Thermoplastic  
Female Plug  
6mm AC3FCP  
8mm AC3FCPJ



## AC3-IDC INSULATION DISPLACEMENT CONNECTORS

This ingenious AC3 range is an industry breakthrough in cost effectiveness, efficiency, productivity & performance. This makes manufacturing cables for the popular AC3 connector *very fast!*



## PLASTIC BARREL

Tough Black Thermoplastic  
Male Plug  
6mm AC3MCP  
8mm AC3MCPJ



Simply strip the outer cover off to expose the three inner cables then place in the clamp & screw it together, that's it! See the AMPCAT for a thorough description of this time saving feature.  
Code T2860 (IDC Hand Tool→)

## PLASTIC BARREL IDC

Tough Black Thermoplastic  
Female Plug Economy.  
No Soldering!  
6mm AC3FCPI



Secure Connection  
Secure Cable  
Grip!

## Jaws

Quick & Easy  
Manufacture  
Assembly



Catalogue  
Available  
Please Enquire




## PLASTIC BARREL IDC

Tough Black Thermoplastic  
Male Plug Economy.  
No Soldering!  
6mm AC3MCPJ




### METAL CHASSIS

Socket Female Wide  
Old AXR334  
Code AC3FPZ




### PLASTIC CHASSIS

Socket Female  
Code AC3FPP




### METAL CHASSIS

Socket Male Wide  
Code AC3MP




### PLASTIC CHASSIS

Socket Male  
Code AC3MPP




### METAL CHASSIS NARROW

Socket Male  
Code AC3MPNZ




### PLASTIC CHASSIS

Socket Female  
Small Flange  
Code AC3FDP




### METAL CHASSIS SOLID PIN

Socket Male  
Machined Pins  
Old AXR332  
Code AC3MMPNZ




### PLASTIC CHASSIS

Socket Male  
Small Flange  
Code AC3MDP




### METAL CHASSIS SOLID PIN BLACK

Socket Male  
Machined Pins  
All Black  
Code AC3MMPNZB




### PLASTIC CHASSIS PCB MOUNT

Socket Female  
Small Flange  
Code AC3FDPH



### METAL CHASSIS


Female Socket  
Code AC3FDZ



Also Available in Multi-pin


### PLASTIC CHASSIS NO-LATCH

Socket Female  
Small Flange  
Quick-Remove  
Code AC3FDPL



### METAL CHASSIS


Male Socket  
Code AC3MDZ



Also Available in Multi-pin


### PLASTIC CHASSIS DUAL

Socket Female to  
Socket Female  
Code AC3F3FPP




### METAL CHASSIS SOLID PIN

Male Socket  
Machined Pins  
Code AC3MMDZ




### PLASTIC CHASSIS DUAL

Socket Male to  
Socket Male  
Code AC3M3MPP




### METAL CHASSIS BLACK

Female Socket  
Code AC3FDZB




### PLASTIC CHASSIS DUAL

Socket Male to  
Socket Female  
Code AC3M3FPP




### METAL CHASSIS BLACK

Male Socket  
Code AC3MDZB



### FREE AMPHENOL CATALOGUE

Packed with information on the wide range of AMPHENOL connectors. Additional products are available from this catalogue. Please enquire.  
Code AMPCAT  
FREE



### SPEAKER CONNECT

Available in  
Two colours  
Blue and White  
for easy channel  
identification.  
High Power 3 pin.



### SPEAKER CONNECT

Male Plug  
Blue PDN12BL  
White PDN12W



### SPEAKER CONNECT

Female Plug  
Blue PDN11BL  
White PDN11W



### SPEAKER CONNECT

M Blue PDN34BL  
M White PDN34W



### SPEAKER CONNECT

F Blue PDN31BL  
F White PDN31W



### HIGH POWER 4 PIN

Durable diecast  
Heavy duty  
High current  
Machined pins  
Large cable entry




### HIGH POWER 4 PIN

9→16mm Cable Entry 12AWG  
50V 20A  
Female EP411P  
Male EP412



### HIGH POWER 4 PIN

30mmØ Mount  
50V 20A  
Female EP413P  
Male EP414



### HIGH POWER 8 PIN FEMALE

9→16mm 12AWG  
50V 15A  
Code EP811P



### HIGH POWER 8 PIN MALE

30mm Diam Mount.  
50V 15A  
Code EP814




### AMPHENOL XLR MULTI-PIN METAL



### 4 PIN

Code	Description
AC4F	AXR411
AC4M	AXR412



AC4FPZ	AXR431
AC4MP	AXR434
AC4FDZ	Small Flange
AC4MDZ	Small Flange



### 5 PIN

Code	Description
AC5F	AXR511
AC5M	AXR512



AC5FPZ	AXR531
AC5MP	AXR534
AC5FDZ	Small Flange
AC5MDZ	Small Flange



### 6 PIN

Code	Description
AC6AF	AXR611
AC6AMJ	AXR612


AC6AFPZ	AXR631
AC6AMP	AXR634
AC6AFDZ	Small Flange
AC6AMDZ	Small Flange



### 7 PIN

Code	Description
AC7F	AXR711
AC7M	AXR712

AC7FPZ	AXR731
AC7MP	AXR734
AC7FDZ	Small Flange
AC7MDZ	Small Flange



### MUSICIAN RANGE 1/4"

Robust diecast shell  
Satin nickel or Black  
Silver contact plating  
Solder type contacts  
Flexible gromet entry



### T-SERIES JAWS 1/4"

"Jaws" Cable Clamp System  
Easy-Grip diecast shell  
Satin nickel or Black  
Silver or Gold plating  
Solder type contacts



### SATIN MONO 1/4"

Satin Nickel finish  
Silver contact plating  
Solder type contacts  
Mono ACPM-GN



### SATIN MONO 1/4"

Satin Nickel finish  
Silver contact plating  
Solder type contacts  
Mono TM2PJ



### BLACK MONO 1/4"

Black Metal finish  
Silver contact plating  
Solder type contacts  
Mono ACPM-GB



### BLACK MONO 1/4"

Black Metal finish  
Silver contact plating  
Solder type contacts  
Mono TM2PBJ



### SATIN STEREO 1/4"

Satin Nickel finish  
Silver contact plating  
Solder type contacts  
Stereo ACPS-GN



### SATIN STEREO 1/4"

Satin Nickel finish  
Silver contact plating  
Solder type contacts  
Stereo TS3PJ



### BLACK STEREO 1/4"

Black Metal finish  
Silver contact plating  
Solder type contacts  
Stereo ACPS-GB



### BLACK STEREO 1/4"

Black Metal finish  
Silver contact plating  
Solder type contacts  
Stereo TS3PBJ



### MUSICIAN RANGE 1/4" RIGHT ANGLE

Robust diecast shell  
Satin nickel or Black  
Silver or Gold plating  
Solder type contacts  
Flexible gromet entry



### BNC BULK HEAD

BNC TO BNC  
Satin Nickel finish  
Silver contact plating  
Code AC-BNC-JJ-75



### SATIN MONO 1/4" RIGHT ANGLE

Satin Nickel finish  
Silver contact plating  
Solder type contacts  
Mono ACPM-RN



### BNC BULK HEAD

BNC TO BNC  
Black Nickel finish  
Silver contact plating  
Code AC-BNC-JJ-75B




### BLACK MONO 1/4" RIGHT ANGLE

Black Metal finish  
Silver contact plating  
Solder type contacts  
Mono ACPM-RB



### MICROPHONE CABLE XLR



### SATIN STEREO 1/4" RIGHT ANGLE

Satin Nickel finish  
Gold contact plating  
Solder type contacts  
Stereo ACPS-RN-AU



### SEE ALSO NEUTRIK XLR SOCKETS

CAT-5  
RJ47  
USB  
IEE1394  
RCA & 6.35MM



### BLACK STEREO 1/4" RIGHT ANGLE

Black Metal finish  
Gold contact plating  
Solder type contacts  
Stereo ACPS-RB-AU



### MINI-XLR PLUG

3 PIN  
Plug 8mmØ  
Code XLR502-3P



## AMPHENOL RJF-EZ SERIES PLASTIC LATCH-ON

Industrial Ethernet Connection System for Harsh Environments

**Existing Cat5e Cable Terminal Protection.**  
Introducing a new range from Amphenol, RJ Field allows you to use an existing Ethernet Class D, Cat5e cable set for BaseT, 100 BaseTX or 1000 BaseT networks in harsh environments. No Tools Required! Sealed against fluids and dust (IP67) Shock, Vibration and Traction resistant. Patented "RJ-Stop" System for cable hold. Quick user-friendly lever coupling system.



### PLUG GUARD


Wraps any standard Cat5 RJ45 plug & lead. RJStop cable grab system. Weather proof. RJF-EZ6 Plug Guard

### RECEPTICLE PANEL MOUNT

Socket to socket RJ45 to accept the above. RJF-EZ21 Panel Socket

### RECEPTICLE ADD-ONS


RJF-EZJE Panel Gasket  
RJF-EZBE Dust Cap



## AMPHENOL RJF-544 SERIES PLASTIC PUSH-ON

Industrial Ethernet Connection System for Harsh Environments

**Existing Cat5e Cable Terminal Protection.**  
Introducing a new range from Amphenol, RJ Field allows you to use an existing Ethernet Class D, Cat5e cable set for BaseT, 100 BaseTX or 1000 BaseT networks in harsh environments. No Tools Required! Sealed against fluids and dust (IP67) Shock, Vibration and Traction resistant. Patented "RJ-Stop" System for cable hold. Quick Push-Pull Snap-Lock coupling system.



### PLUG GUARD

Wraps any standard Cat5 RJ45 plug & lead. RJF-544-6 Plug Guard

### RECEPTICLE PANEL MOUNT

Socket to socket RJ45 to accept the above. RJF-544-21 Panel Socket

### RECEPTICLE ADD-ONS

54402JE Panel Gasket  
54402BE Dust Cap  
54402OT Insert Tool



## AMPHENOL RJF-TV SERIES SCREW-ON METAL

Industrial Ethernet Connection System for Harsh Environments

**Existing Cat5e Cable Terminal Protection.**  
All metal design for high grade protection. Tri-Start thread coupling mechanism. Mil Spec. Transforms any existing RJ45 Cat5e cord set. Sealed against dust and fluids to IP67 std. Insert Removal Tool is available (RJF-ODE \$POA).



### PLUG GUARD

Wraps any standard Cat5 RJ45 plug & lead. Improved EMI protection. Weather proof. RJF-TV6MG Plug Guard  
RJF-TV6CG Plug Cap

### RECEPTICLE PANEL MOUNT SQUARE

Socket to socket RJ45 Square Flanged. RJF-TV21G Panel Socket  
RJF-TV2G Dust Cap  
JE19 Panel Gasket

### RECEPTICLE PANEL MOUNT ROUND

Socket to socket RJ45 Jam Nut Flange. RJF-TV71G Panel Socket  
RJF-TV7G Dust Cap

