


"SPEAKON" LOUDSPEAKER CONNECT

Extremely reliable & robust.
Bayonet plus locking pin.
Heavy duty system that can't short out or be plugged into the wrong socket or polarity.
Failsafe. High power.
Becoming a popular alternative to 4mm Banana or "Mic" connectors.



"SPEAKON" CHASSIS JACK

Extremely reliable
Fail safe. 30A.
Chassis / panel mount jack.
Standard cut-out.
Robust solution speaker connect.
Type Code
2 pin NL2MP
4 pin NL4MP



"SPEAKON" LOUDSPEAKER PLUG

Extremely reliable and robust with bayonet locking
Heavy duty 30A
Becoming popular alternative to Banana & XLR.
Suit NL-2MP & 4MP
2 pin NL2FC
4 pin NL4MPR



"SPEAKON" LOUDSPEAKER JACK

Extremely reliable bayonet & locking.
Robust. 30A.
Large radius mounting jack for speaker bin speaker connect.
Accepts NL2FC & 4FC
4 pin NL4MPR



"SPEAKON" LOUDSPEAKER PLUG

As above but a four pin version!
Bayonet locking
Heavy duty 30A
This 4 pin plug will only suit 4 pin receptacles
NOT ANY 2 PINs!
4 pin NL4FX



"SPEAKON" COUPLER F-F

Extremely reliable
Made from high impact plastic
Heavy duty 30A
Enables connecting and extending speaker leads.
Type Code
2 pin NL2MM N/A Use below.
4 pin NL4MM



"SPEAKON" LOUDSPEAKER PLUG METAL

4 POLE MALE
New metal version.
Extremely reliable and robust with bayonet locking
Heavy duty 30A
4 terminals
Nickel chromium.
4 pin NLT4FX



RCA PANEL MOUNT NEUTRIK

GOLD PLATED RECESSED RCA
Standard XLR Mounting
Coloured insulator.
Solder terminal rear.
Code Insulator
NF2D0 Black
NF2D2 Red
NF2D4 Yellow
NF2D9 White



"SPEAKON" LOUDSPEAKER IN-LINE METAL

4 POLE FEMALE MALE
Heavy duty metal
Extremely reliable and robust with bayonet locking
Heavy duty 30A
4 terminals
Nickel chromium.
4 pin NLT4MX



BALUN LINE TRANSFORMER

RCA TO XLR Female
Isolation and balancing adaptor.
Suit long runs between CD and Mixing Desk, etc.
Metal housing.
200Ω/200Ω
XLR Female
Code NA2F-D2B-TX



BALUN LINE TRANSFORMER

RCA TO XLR Male
Isolation and balancing adaptor.
Suit long runs between CD and Mixing Desk, etc.
Metal housing.
200Ω/200Ω
XLR Male
Code NA2M-D2B-TX



1/4" PHONO LEAD NEUTRIK**PRE-MADE 6 METERS**

Professional
Heavy Duty
6.35mm Mono
Plug to Plug
6M AL718



See Section 8 for
more prepared leads

ETHERCON XLR PLUG

ADAPTS EXISTING CAT-5 LEAD
Requires a Cat5/6e type RJ45
pre-made ethernet lead assembly,
Converts to a protected plug.

Code NE8MC



Actually Supplied Empty.
Requires the RJ45 Cable

ETHERNET LEADS TO SUIT
See Section Sixteen

3.5mm PHONO PLUG NEUTRIK

Professional Heavy Duty.
Black or Nickel Barrel.
All Metal. Rubber Boot.

Stereo 3.5mm
Nickel NTP3RC



Black NTP3RCB

ETHERCON XLR SOCKET

RJ45 SOCKET TO KRONE™
Accepts the NE8MC Plug above.
Rear terminates to punch-down
terminals for solid core Cat5.

Code NE8FDV-YK



ETHERNET LEADS TO SUIT
See Section Sixteen

1/4" PHONO PLUG NEUTRIK

Professional Heavy Duty
Black Barrel. Nickel tip.
6.35mm. All Metal
with Rubber Boot
Mono NP2C



Stereo NP3C

ETHERCON XLR SOCKET

RJ45 SOCKET TO RJ45 SOCKET
Accepts the NE8MC Plug above.
Rear terminates to punch-down
terminals for solid core Cat5.

Code NE8FDP



ETHERNET LEADS TO SUIT
See Section Sixteen

1/4" PHONO PLUG RIGHT ANGLE NEUTRIK

Professional Heavy Duty
Nickel barrel and tip.
Right Angle
Strain Relief
Mono 6.35mm
Code NP2RCS

**USB PANEL MOUNT**

USB-A TO USB-B
Reversible for both A & B
connection possibilities.
Recessed for protection.

Code NAUSB



USB LEADS TO SUIT
See Section Sixteen

1/4" PHONO IN-LINE SOCKET NEUTRIK

LOCKING JACK
Professional
Heavy Duty
All Metal
Rubber Boot
Stereo 6.35mm
Code NJ3FC6C

**FIRE-WIRE PANEL MOUNT**

FIREWIRE-6 IEEE1394
Audio/Visual gets digital!
Standard XLR Metal Fitting.
Recessed for protection.

Code NA1394-6



FIREWIRE LEADS TO SUIT
See Section Sixteen

1/4" PHONO PANEL MOUNT NEUTRIK

LOCKING JACK
Professional
Heavy Duty
Stereo 6.35mm
Code NJ3FP6C

**BNC PANEL MOUNT NEUTRIK**

GOLD PLATED RECESSED BNC
Standard XLR Mounting
Extremely robust.
Solder terminal rear.

Code NBB75DSG





XLR FEMALE PLUG - RIGHT ANGLE

Ideal solution for mobile equipment and rear cable protection from bumps, etc. Heavy duty die-cast shell. Plug is 360° rotatable at assembly stage then locked.

Code	Pins
NC3FRC	3
NC4FRC	4
NC5FRC	5



High quality
Robust Durable
Connectors for
Studio or Field
More available - Please Enquire!

XLR CONNECTORS

New design connector for fast termination and assembly with rugged die-cast shell, compact design. Only four parts, no screws. Quality rubber & plastic cable strain relief. Heavy duty construction for a sure contact. Three, four & five pin versions available. However, the Neutrik range is extensive and more connectors are available. See www.neutrik.com for info or please enquire! Bulk quantities are available with discounts.



XLR MALE PLUG - RIGHT ANGLE

Heavy duty construction. Plug is 360° rotatable at assembly stage then locked. Chuck type cable hold. Solder terminals. 7.5mm cable entry.

Code	Pins
NC3MRC	3
NC4MRC	4
NC5MRC	5



XLR FEMALE PLUG

FX Series. World XLR standard. Heavy duty die-cast shell. Chuck type strain relief. Solder terminals.


Code	Pins
NC3FX	3
NC4FX	4
NC5FX	5



XLR FEMALE CHASSIS

Popular new flush or surface mount design. Both female & male use the same size cut-outs. Die-cast. Solder terminals.

Code	Pins
NC3FDL	3
NC4FDL	4
NC5FDL	5



XLR MALE PLUG

MX Series. World XLR standard. Heavy duty die-cast shell. Chuck type strain relief. Solder terminals.


Code	Pins
NC3MX	3
NC4MX	4
NC5MX	5



XLR MALE CHASSIS

Same size cut-outs as the above FDL. Die-cast heavy duty. Solder terminals. Push-lock latch. Flush/surface mount.

Code	Pins
NC3MDL	3
NC4MDL	4
NC5MDL	5



XLR FEMALE PLUG - DELUXE


Same as the FX Series, but Black die-cast shell and Gold contacts. World XLR standard. Chuck type strain relief. Solder terminals.

Code	Pins
NC3FXB	3
NC4FXB	4
NC5FXB	5



BLANKING PLATE

Same size as the above receptacles. Black plastic. Suit Neutrik type and some Amphenol. Code NC-DBA



XLR MALE PLUG - DELUXE

Same as the FX Series, but Black die-cast shell and Gold contacts. World XLR standard. Chuck type strain relief. Solder terminals.

Code	Pins
NC3MXB	3
NC4MXB	4
NC5MXB	5



COLOURED ID TAGS - SUIT XLR PLUGS

Save time and effort connecting and tracing cables. Brightly coloured rings with write-on marker labels. Can be inserted after cable manufacturing! (Suits Amphenol too)



Black	XCR0
Brown	XCR1
Red	XCR2
Orange	XCR3
Yellow	XCR4
Green	XCR5
Blue	XCR6
Violet	XCR7
Grey	XCR8
White	XCR9